



1. ALL DIRECTIONAL CHANGES IN CONDUIT ARE TO BE BENT WITH "SWEEPING" ANGLES.
2. COORDINATE THE EXACT LOCATION OF ANY ITEMS (SCREEN, PROJECTOR, ETC.) IN QUESTION WITH THE OLE MISS I.T. DEPARTMENT PRIOR TO DETERMINING FINAL ROUGH-IN LOCATIONS.
3. THIS DIAGRAM IS INTENDED TO BE SOMEWHAT GENERAL. THE DIMENSIONS AND CONFIGURATION MAY BE REQUIRED TO BE ADJUSTED TO ACCOMMODATE THE SPECIFIC CONFIGURATION OF EACH CLASSROOM. THE EXISTING PHYSICAL CHARACTERISTICS OF THE SPACE MAY REQUIRE SHIFTING THE PODIUM LOCATION, SCREEN LOCATION, ETC.
4. PROJECTORS THAT ARE TO BE MOUNTED IN "HARD" CEILINGS WILL REQUIRE CONDUIT AND JUNCTION BOXES ADJACENT TO THE LOCATION OF THE SCREEN. AN ACCESS DOOR MAY ALSO BE REQUIRED TO ACCESS THIS JUNCTION BOX AND THE LOCATION OF THE PROJECTOR MOUNT. THE OLE MISS I.T. DEPARTMENT CAN PROVIDE ASSISTANCE WITH LOCATING THE PROJECTOR MOUNT LOCATION.
5. THE EXACT SCREEN LOCATION AND SIZE WILL NEED TO BE COORDINATED WITH THE OLE MISS I.T. DEPARTMENT PRIOR TO INSTALLATION.
6. ALL HEIGHTS, DIMENSIONS AND/OR LOCATIONS IN QUESTION SHOULD BE COORDINATED WITH THE OLE MISS I.T. DEPARTMENT. THIS DEPARTMENT WILL PROVIDE ALL DIMENSIONAL AND OPERATIONAL INFORMATION FOR THE EQUIPMENT BEING INSTALLED.

CONFIGURATION OF CONDUIT, JUNCTIONS BOXES, ETC. IN WALLS FOR FUTURE TECHNOLOGY TO BE INSTALLED IN "SMART CLASSROOMS"

SCALE:  $\frac{3}{4}$ " = 1'-0"